

Pegasus AC5713

Android 4G Terminal

Overview:

AC5713 serial products extend Handheld-Wireless product serials into Android OS 5.1.1handheld terminal with numeric keypad. Inside the compact terminals, sealing level of IP65water/dust proof, 1.5m/4.5ft drop survival, ergonomic design, over-molding structure, and 4.0 inch tough screen are all equipped to ensure performance. Latest 1.3GHz quad-core processor 2GB RAM/16GB ROM and up to 32GB expansion are all designed to boost up experience level.



Features:

High Speed Data Communication

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication in different using environment.

Extraordinary Battery Life

Extremely battery of 5200mAh can ensure long battery in different using environment.

Rugged Ergonomic and Over-molding Design

Over-molding and ergonomic hardware design can satisfy most of the tough environment from different fields.

Extremely Stable Hardware Display

4.0 inch tough Gorilla Glass 3 9H screen can ensure the performance under different tough environment.



Restaurant

Super Market

Warehouse



Logistics



Government



Book Store



Medication





Specification Sheet

Industries

Restaurant

Super Market

Warehouse



Logistics



Government



Book Store



Medication



Highly Customized Structure

'All-in-One' hardware design conception can expand the hardware module integration based on different project requirements, especially like UHF+HF, UHF+LF, LF+HF.

Highly Integrated and Preinstalled Application

The highly integrated and preinstalled Scan Server can satisfy most of the solutions obtained from Google Play by the working principle of 'Plug and Play'.

PHYSICAL CHARACTE	RISTICS		
Dimension	158mm(H)x75mm(W)x28mm(D)mm		
Weight	Net Weight: 300g (including battery & wrist strap)		
Display	Gorilla Glass 3 9H 4.0 inch TFT-LCD(WVGA 480x800) touch screen with		
	backlight		
Backlight	LED backlight		
Keypads	3 TP keys, 17 function keys, 4 side buttons		
Expansions	2 PSAM, 1 SIM, 1 TF		
Battery	Rechargeable li-ion polymer, 3.7V, 5200 mAh		
PERFORMANCE CHAP	ACTERSTICS		
CPU	Quad A53 1.3GHz quad-core		
Operating System	Android 5.1.1		
Storage	2GB RAM+16GB ROM Micro SD (max 32GB expansion)		
USER ENVIRONMENT			
Operating Temp	-20°C to 50°C		
Storage Temp	-20°C to 70°C		
Humidity	5%RH to 95%RH (non-condensing)		
Drop Specifications	5ft./1.5 m drop to concrete across the operating temp range		
Sealing	IP65, IEC compliance		
ESD	±15kv air discharge, ±8kv direct discharge		
DEVELOPMENT ENVI	RONMENT		
SDK	HHW Software Development Kit		
Language	JAVA		
Environment	Android Studio or Eclipse		
DATA COMMUNICATI	ON		
	4G: TDD-LTE Band 38, 39, 40, 41 FDD-LTE Band 1,2,3,4,7,17,20		
WWAN	3G: WCDMA 850/1900/2100MHz, 2G: GSM/Gprs/Edge		
	850/900/1800/1900MHz		
WLAN	2.4GHz/5.8GHz Dual Frequency, IEEE 802.11 a/b/g/n/ac		
WPAN	Bluetooth Class v2.1+EDR, Bluetooth v3.0+HS, Bluetooth v4.0		
GPS	GPS (embedded A-GPS), accuracy of 5 m		

Pegasus www.PegasusTech.net

Specification Sheet

Industries

Restaurant



Warehouse



Logistics



Government



Book Store



Medication



DATA CAPTUKE BAK	CODE READER (OPTIONAL)	Comple al CEOFE	
1D Barcode	1D Laser engine	Symbol SE955	
	Symbologies	All major 1D Barcodes	
2D Barcode	2D CMOS Imager	Honeywell N6603	
	Symbologies	PDF417, MicroPDF417, Composite,	
		RSS, TLC-39, Datamatrix, QR code,	
		Micro QR code, Aztec, MaxiCode,	
		Postal Codes, US PostNet, US Planet,	
		UK Postal, Australian Postal, Japan	
		Postal, Dutch Postal. etc.	
COLOR CAMERA			
Resolution	8.0 megapixel		
Lens	Auto-focus with LED flash		
RFID READER(OPTIO	NAL)		
RFID LF	Frequency	125KHz/134.2KHz(FDX-B/HDX)	
	Protocol	ISO 11784&11785	
	R/W Range	2cm to 10 cm	
RFID HF	Frequency	13.56MHz	
	Protocol	ISO 14443A&15693	
	R/W Range	2cm to 8cm	
Active 2.45GHz	Read range more than 200 m		
433MHz	Read range more than 200 m		
PSAM SECURITY (OP	TIONAL)		
Protocol	ISO 7816		
Baudrate	9600, 19200, 38400, 43000, 56000, 57600, 115200		
Slot	2 slots (maximum)		
ACCESSORIES			
Standard	1xPower Supply; 1xLithium Polymer Battery; 1xDC charging cable; 1xUSB		
	data cable		
Optional	Cradle		





